



# falmec

QUIET | POWERFUL | RANGEHOODS



PRODUCT COLLECTION



# WHY FALMEC?



Founded in 1981, Falmec has evolved from a small manufacturing company to a leading force both in the national and international market, gaining extensive experience in the design and production of rangehoods.

With over 35 years experience in manufacturing premium rangehoods, Falmec has become an absolute leading international player in terms of quality, innovation, design and sustainability.



## No-Drop™ System

The phenomenon of condensation is extremely unpleasant during cooking activities. This happens when the hot air, coming from the stove on, collides with a cold surface, such as: tiles, hood, furniture and glass. With the contact the hot air decreases in temperature and the excess steam is transformed into water, or rather, into tiny droplets that are deposited on the cold surface of furniture and hanging deteriorate it over time.

To solve this problem Falmec conceived a sophisticated system, particularly efficient and innovative, named No-Drop™ System. Falmec No-Drop™ System has the ambitious goal of eliminating every drop of water in the kitchen.



## Quiet

Falmec are bringing silence and performance back to the kitchen. By placing a powerful motor remotely, away from your kitchen, Falmec is able to achieve high performance with minimal noise. There's no need to pause the conversation with a Falmec hood.



## Powerful

Falmec rangehoods are designed to perform with maximum power and minimal noise. Every possible cooking style is considered with extraction rates ranging from 600m<sup>3</sup>/h to 2010m<sup>3</sup>/h.



## Innovation - E.ION®

The only hoods that sanitise the air. Falmec has developed a unique technology which, through Bipolar Controlled Ionisation, allows to recreate the air ions that not only eliminate unpleasant odours in a natural way but also to restore the optimal ionic balance, with considerable benefits to your physical and psychological well-being.



## Innovation - NRS®

Finally a hood that makes minimal noise. With the innovative technology Noise Reduction System (NRS®), Falmec has successfully created a product that combines high performance with significant comfort in the home. Beyond the figures certifying the excellent results achieved with scientific evidence, the other important fact to stress is that the hood is incredibly quiet.

# OFF-BOARD MOTOR

**Please note:** Some products are special order only. Please ask your sales consultant for more information.

## LEGEND

IR = In-Roof  
ER = External Roof  
EW = External Wall

 Remote Included  
 BBQ Rangehood

### GENOVA+ 120



2010 m³/h (ER/EW)

### MILANO+ 60



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

### MILANO+ 90



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

### NUVOLA 140



1300 m³/h (IR)  
1500 m³/h (EW)  
Available in White or Stainless

### STELLA



1300 m³/h (IR)  
1500 m³/h (EW)  
Available in White or Stainless

### DOWNDRAFT 90



Refer to spec sheet

### MILANO+ 90 DEEP



1140 m³/h (IR/ER/EW)  
2010 m³/h (IR/ER/EW)

### MILANO+ 120 DEEP



1140 m³/h (IR/ER/EW)  
2010 m³/h (IR/ER/EW)

### ROMA 90



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

### DOWNDRAFT 120



Refer to spec sheet

### TRENTO 120 WALL



2010 m³/h (ER/EW)

### TRENTO 120 ISLAND



2010 m³/h (ER/EW)

### TREVISO+ 90



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

# ON-BOARD MOTOR

### NUBE 90



1300 m³/h (IR)  
1500 m³/h (EW)

### NUBE 140



1300 m³/h (IR)  
1500 m³/h (EW)

### NUVOLA 90



1300 m³/h (IR)  
1500 m³/h (EW)  
Available in White or Stainless

Available November 2022

### VIRGOLA NO DROP 60



800 m³/h - 60cm  
Available in Stainless or Black

Available November 2022

### VIRGOLA NO DROP 90



800 m³/h - 90cm  
Available in Stainless or Black

Available November 2022

### VIRGOLA NO DROP 120




800 m³/h - 120cm  
Available in Stainless or Black

# ON-BOARD MOTOR

**Please note:** Some products are special order only.  
Please ask your sales consultant for more information.

## LEGEND

 Remote Included

### GRUPPO INCASSO



800 m<sup>3</sup>/h - 60cm/80cm/105cm  
Available in Stainless Steel

### GRUPPO INCASSO NRS®



800 m<sup>3</sup>/h - 60cm/80cm  
Available in Stainless Steel

### GRUPPO INCASSO PRO



950 m<sup>3</sup>/h - 80cm  
Available in Stainless Steel

### LUMINA NRS® ISLAND



800 m<sup>3</sup>/h - 90cm  
Facia available in Black, White or Stainless

### PLANE BLACK WALL



800 m<sup>3</sup>/h - 90cm  
Available in Matte Black

### PLANE BLACK ISLAND



800 m<sup>3</sup>/h - 90cm  
Available in Matte Black

### SIENA+ 60



950 m<sup>3</sup>/h - 60cm  
Available in Stainless Steel

### SIENA+ 90



950 m<sup>3</sup>/h - 90cm  
Available in Stainless Steel

### SIENA+ 90 DEEP



950 m<sup>3</sup>/h - 90cm  
Available in Stainless Steel

### PLANE NRS® WALL



800 m<sup>3</sup>/h - 90cm/120cm  
Available in Stainless Steel

### PLANE NRS® ISLAND



800 m<sup>3</sup>/h - 90cm/120cm  
Available in Stainless Steel

### PLANE TOP WALL



800 m<sup>3</sup>/h - 90cm/120cm  
Available in Fasteel

### MOVE



800 m<sup>3</sup>/h - 60cm/90cm/120cm  
Available in Black or White

### LUCE WALL



800 m<sup>3</sup>/h - 90cm  
Black facia

### LUCE ISLAND



800 m<sup>3</sup>/h - 90cm  
Black facia

### PLANE TOP ISLAND



800 m<sup>3</sup>/h - 90cm  
Available in Fasteel

### POLAR WALL



800 m<sup>3</sup>/h - 35cm  
Available in Black or White

### POLAR ISLAND



800 m<sup>3</sup>/h - 35cm  
Available in Black or White

### LUMEN WALL



800 m<sup>3</sup>/h - 60cm/90cm/120cm  
Available in Stainless

### LUMEN ISLAND



800 m<sup>3</sup>/h - 90cm/120cm  
Available in Stainless

### LUMINA NRS® WALL



800 m<sup>3</sup>/h - 90cm/120cm  
Facia available in Black, White or Stainless

### POLAR LIGHT WALL



800 m<sup>3</sup>/h - 35cm  
Available in Stainless Steel

### POLAR LIGHT ISLAND



800 m<sup>3</sup>/h - 35cm  
Available in Stainless Steel

### SPRING E.ION®



600 m<sup>3</sup>/h - 80cm  
Available in Black or White

# OFF-BOARD MOTOR SOLUTIONS

	IN ROOF MOTOR		EXTERNAL ROOF MOTOR			EXTERNAL WALL MOTOR		
	IR-765	IR-1140	ER-765	ER-1140	ER-2010	EW-765	EW-1140	EW-2010
MILANO <sup>+</sup> 60	•	•	•	•		•	•	
MILANO <sup>+</sup> 90	•	•	•	•		•	•	
MILANO <sup>+</sup> 90 DEEP		•		•	•		•	•
MILANO <sup>+</sup> 120 DEEP		•		•	•		•	•
GENOVA <sup>+</sup> 120					•			•
TREVISI <sup>+</sup> 90		•		•	•		•	•
ROMA 90	•	•	•	•		•	•	
TRENTO 120					•			•
TRENTO 120 ISLAND					•			•

## Motor Installation Methods



In-Roof Motor



External Roof Motor



External Wall Motor

\*HBX200MET & HBX200TILE available as optional accessories for all roof motors

## Motors



In-Roof Motor

### MOTOR SPEEDS

765m³/h 1140m³/h



External Roof Motor

### MOTOR SPEEDS

765m³/h 1140m³/h 2010m³/h



External Wall Motor

### MOTOR SPEEDS

765m³/h 1140m³/h 2010m³/h

# OFF-BOARD MOTOR SOLUTIONS

	RECIRCULATING MOTOR	EXTERNAL WALL MOTOR		IN-LINE MOTOR	
	UC-600	EW-1000	EW-1500	IN-950	IN-1300
NUBE			•		•
NUVOLA 90			•		•
NUVOLA 140			•		•
ECLISSE			•		•
STELLA			•		•
DOWNDRAFT 90	•	•			•
DOWNDRAFT 120	•	•			•

## Downdraft Motor Installation Methods



Recirculating Motor



External Wall Motor



Remote Inline Motor

## Cassette Motor Installation Methods



External Wall Motor



Remote Inline Motor

## Motors



Recirculating Motor

### MOTOR SPEEDS

600m³/h

\*For Downdraft rangehoods only



External Wall Motor

### MOTOR SPEEDS

1000m³/h 1500m³/h

\*For Downdraft and cassette rangehoods only



Remote Inline Motor



### MOTOR SPEED

950m³/h 1300m³/h


# AVAILABLE ACCESSORIES

## HBX200MET - 200mm Metal Roof Kit (For External Roof Motor)


### INCLUDED ACCESSORIES



Metal roof flashing (x1)





Rigid duct mount (x2)




Threaded rod & fixings (x2)

## HBX200TILE - 200mm Tile Roof Kit (For External Roof Motor)


### INCLUDED ACCESSORIES



Tile roof flashing (x1)




Rigid duct mount (x2)




Threaded rod & fixings (x2)


## FAN.RSK200 - 200MM BACKDRAFT DAMPER (FOR EXTERNAL MOTORS)



## FAN.SJK200 - 200MM BACKDRAFT DAMPER (FOR IN-ROOF MOTOR)



## HBX200DUCT - DUCT EXTENSION KIT



## OFF-BOARD MOTOR RANGEHOOD MATRIX

Rangehood	Suitable Cooking Size	Cut-Out Dimensions	Accessories Available	Accessories Included
<b>Downdraft 90</b>	50cm - 90cm Surfaces	810 x 98mm	Remote Control	6m Ducting
<b>Downdraft 120</b>	75cm - 100cm Surfaces	1110 x 98mm	Remote Control	6m Ducting
<b>Genova+ 120</b>	90cm - 130cm Surfaces	1110 x 420mm	Remote Control	6m Ducting
<b>Milano+ 60</b>	50cm - 75cm Surfaces	512 x 250mm	Remote Control	6m Ducting
<b>Milano+ 90</b>	75cm - 100cm Surfaces	822 x 250mm	Remote Control	6m Ducting
<b>Milano+ 90 Deep</b>	75cm - 110cm Surfaces	824 x 330mm	Remote Control	6m Ducting
<b>Milano+ 120 Deep</b>	90cm - 130cm Surfaces	1110 x 330mm	Remote Control	6m Ducting
<b>Nube 90</b>	75cm - 150cm Surfaces	940 x 505mm		Remote Control, 6m Ducting
<b>Nube 140</b>	75cm - 150cm Surfaces	1325 x 590mm		Remote Control, 6m Ducting
<b>Nuvola 90</b>	65cm - 100cm Surfaces	940 x 505mm		90° Elbow Wall Vent Remote Control, Ducting
<b>Nuvola 140</b>	90cm - 150cm Surfaces	1325 x 590mm		90° Elbow Wall Vent Remote Control, 6m Ducting
<b>Roma 90</b>	75cm - 100cm Surfaces	N/A	Remote Control	6m Ducting
<b>Stella 90</b>	75cm - 100cm Surfaces	940 x 505mm		90° Elbow Wall Vent Remote Control, 6m Ducting
<b>Stella 120</b>	90cm - 130cm Surfaces	1240 x 505mm		90° Elbow Wall Vent Remote Control, 6m Ducting
<b>Trento 120 Wall</b>	90cm - 130cm Surfaces	N/A		Remote Control, 6m Ducting
<b>Trento 120 Island</b>	90cm - 130cm Surfaces	N/A		Remote Control, 6m Ducting
<b>Treviso+ 90</b>	75cm - 100cm Surfaces	N/A	Remote Control	6m Ducting

## ON-BOARD MOTOR RANGEHOOD MATRIX

Rangehood	Suitable Cooking Size	Cut-Out Dimensions	Accessories Available	Accessories Included
<b>Gruppo Incasso 60</b>	50cm - 90cm Surfaces	506 x 262mm	Remote Control	Charcoal Filter
<b>Gruppo Incasso 80</b>	75cm - 100cm Surfaces	751 x 262mm	Remote Control	Charcoal Filter
<b>Gruppo Incasso 105</b>	75cm - 110cm Surfaces	1029 x 262mm	Remote Control	Charcoal Filter
<b>Gruppo Incasso NRS® 60</b>	50cm - 90cm Surfaces	506 x 262mm	Charcoal Filter	Remote Control
<b>Gruppo Incasso NRS® 80</b>	75cm - 100cm Surfaces	751 x 262mm	Charcoal Filter	Remote Control
<b>Gruppo Incasso Pro</b>	75cm - 100cm Surfaces	762 x 245mm	Remote Control	
<b>Luce Wall</b>	75cm - 100cm Surfaces	N/A	Carbon Filters	
<b>Luce Island</b>	75cm - 100cm Surfaces	N/A	Carbon Filters	
<b>Lumen Wall</b>	Refer to spec sheet	N/A	Carbon Filters	
<b>Lumen Island</b>	Refer to spec sheet	N/A	Carbon Filters	
<b>Lumina NRS® Wall</b>	Refer to spec sheet	N/A	Carbon Filters	
<b>Lumina NRS® Island</b>	75cm - 100cm Surfaces	N/A	Carbon Filters	
<b>Move</b>	Refer to spec sheet	Refer to manual	Carbon Filters	
<b>Plane Black Wall</b>	75cm - 100cm Surfaces	N/A	Carbon Filters	
<b>Plane Black Island</b>	75cm - 100cm Surfaces	N/A	Carbon Filters	
<b>Plane NRS® Wall</b>	Refer to spec sheet	N/A	Charcoal Filters	
<b>Plane NRS® Island</b>	Refer to spec sheet	N/A	Charcoal Filters	
<b>Plane Top Wall</b>	Refer to spec sheet	N/A	Carbon Filters	
<b>Plane Top Island</b>	75cm - 100cm Surfaces	N/A	Carbon Filters	
<b>Polar Wall</b>	60cm	N/A		Charcoal Filter
<b>Polar Island</b>	60cm	N/A		Charcoal Filter
<b>Polar Light Wall</b>	60cm	N/A		Charcoal Filter
<b>Polar Light Island</b>	60cm	N/A		Charcoal Filter
<b>Siena+ 60</b>	50cm - 75cm Surfaces	512 x 250mm	Remote Control	
<b>Siena+ 90</b>	75cm - 100cm Surfaces	822 x 250mm	Remote Control	
<b>Siena+ 90 Deep</b>	75cm - 100cm Surfaces	824 x 330mm	Remote Control	
<b>Spring E.ION®</b>	N/A	N/A		Carbon Filter



# falmec

QUIET | POWERFUL | RANGEHOODS



## AUSTRALIA

83 Bangholme Rd  
Dandenong South  
VIC 3175  
Australia


Phone +61 3 9700 9100  
Fax +61 3 9700 9191

## NEW ZEALAND


P.O. Box 53171, Auckland Airport  
Auckland 2150  
New Zealand

Phone 09 964 0400  
Fax 09 964 0401

PRINTED AUGUST 2022  
BRO.FALMECMATRIX

 [falmec.com.au](http://falmec.com.au)

 @FalmecAustralia

 @falmecaustralia